FOXWAL TWS Headset Catalogue

Nireless TWS

ANC ENC LED display



Z50 Pro

Version: JL6.0
Speaker:13mm
Working Hours: 4H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-230MAH

ANC ENC



Z10

Version: JL6.0
Speaker:13mm
Working Hours: 5H
Charging time: 1H
Battery capacity:
Earphone- 40MAH
case-380MAH

ANC ENC



LX97

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-180MAH

ANC ENC



LX98

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-180MAH



M20

2 in 1 power bank TWS earbuds

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
Power bank-5000MAH

ANC ENC



YX37

2.4G+BT

Version: JL6.0
Speaker:13mm
Working Hours: 5H
Charging time: 1H
Battery capacity:
Earphone- 40MAH
case-500MAH

ANC ENC Hybrid



WT01

AI translator earbuds

Version: JL6.0
Speaker:10mm
Working Hours: 7-8H
Charging time: 1-2H
Battery capacity:
Earphone- 40MAH
case-400MAH



TR26

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-300MAH



T20

ANC with TF card

Version: JL6.0
Speaker:16mm
Working Hours: 20H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-500MAH



C12

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone-30MAH
case-300MAH

ANC ENC



JH01

sleeping earphone

Version: JL6.0
Speaker:6mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-300MAH



TWS-Z07

Gaming

Version: 6.0
Speaker:13mm
Working Hours: 5-6H
Charging time: 1H
Battery capacity:
Earphone- 40MAH
case-380MAH



Buds 9PRO

Gaming

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 30MAH
case-200MAH



11S

Version: 6.0
Speaker:8mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 20MAH
case-200MAH



S16

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 35MAH
case-300MAH



Q13

zinc alloy charging case

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-200MAH

BT headphones



V919

Version: 6.0
Speaker:12mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-250MAH



Q16

zinc alloy charging case

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-200MAH



OWS-S55

ENC 4 MIC

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 110MAH
case-360MAH



OWS-15

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:13mm
Wireless range:over 10 Meters
Battery capacity:
Earphone-35MAH
case-300MAH



B68

2 Pairs of TWS in one charge case

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 28MAH
case-300MAH



S18

Version: 6.0
Speaker:11mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-300MAH



Q11

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-150MAH



T58

Gloomy Bear design

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-180MAH



H1 PLUS

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:36mm
Wireless range:over 10 Meters
Battery Capacity 120mAh*2pcs
Charging time 2Hours
Work time over:10 Hours



ANC

BT-42

Foldable

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-39

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:8 Hours



BT-24

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:10 Hours



ANC

BT-59

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 10Hours



ANC

BT-49PRO

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



ANC

BT-P23

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



ANC

BT-71

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



ANC Hybrid

BT-41

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26 Hours



ANC Hybrid

BT-35

Bluetooth 6.0
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26Hours



ANC

BT-73PRO

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours



ANC

R2

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours

ANC



BT-66

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26Hours

ANC



BT-68

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

ANC Hybrid



BT-56

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

ANC



BT-69PRO

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

ANC



BT-50

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30 Hours

ANC



BT-67

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 300mAh
Charging time 2Hours
Work time over: 20Hours

ANC



BT-51

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours

ANC



BT-60

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

ANC



BT-70PRO

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

ANC ENC Hybrid



BT-62

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-63

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

Call center headset



P2 Wireless/wired

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



3033/3031

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



430/431

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



113

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S180 Wireless/wired

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:40*15mm
Wire Length:3.5mm=1.2M/USB=2m

ENC



A9 Wireless 2.4G+BT ENC BT ENC

Bluetooth 5.4 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 15Hours



P1 Wireless

Bluetooth 5.4 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 10Hours

ENC



P7/S151 Wireless

Bluetooth 6.0JL
Impedance 32Ω
Speaker diameter:30mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:10 Hours

Gaming headsets

RGB



X21

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



F02

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



F03

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



G5

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ53mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



X24

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X22

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X26

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X27

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S9

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X17

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X18

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S1

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S2

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S4

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



S6

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



G15

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m

2.4G+BT Wireless



GW04

2.4G BT Wireless (Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



GW10

2.4G BT Wireless (Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



GW17

2.4G BT Wireless (Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 600mAh
Charging time 2Hours
Work time over:15Hours



GW16

2.4G BT Wireless (Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 600mAh
Charging time 2Hours
Work time over:15Hours



GW19

2.4G BT Wireless (Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:50mm
Wireless range:over 10 Meters
Battery Capacity 1100mAh
Charging time 2Hours
Work time over:20 Hours